






GO TO PRODUCT

- Robust, compact design for harsh ICT/FCT applications with limited space
- For optimum contact at the test points (e.g. pads, vias, and pins), various tip styles in different diameters and finishes, as well as various spring forces are available. Spring forces.



General data

| | |
|---------------------------------|-----------------------------------------------|
| Product group: | ICT / FCT (in-circuit test and function test) |
| Sub-product group: | Short/robust GKS |
| Series: | GKS-003 |
| Grid: | 3.18 mm [125 mil] |
| Contacting from: | Pad |
| Magnetic: | Yes |
| Installation type: | Plug-in |
| Quick-exchange system: | Yes |
| Adjustable installation height: | No |
| Non-rotating: | No |
| Compatible receptacle(s): | KS-003 |
| Min. temperature: | -40 °C [-40 °F] |
| Max. temperature: | 80 °C [176 °F] |
| RoHS-compliant: | Yes |

Tip style data

| | |
|---------------------|------------------|
| Tip style: | 04 4-point crown |
| Tip diameter: | 2.54 mm [.1 in] |
| Tip style surface: | A gold |
| Tip style material: | 2 steel |

Electrical data

| | |
|----------------------------------------|---------|
| Current load capacity / rated current: | 5 A |
| Typical resistance (Ri): | 20 mOhm |

Mechanical data

| | |
|---------------------------------|-------------------|
| Total length: | 33.1 mm [1.3 in] |
| Barrel diameter: | 2.03 mm [.079 in] |
| Maximum stroke: | 6.35 mm [.25 in] |
| Spring pre-load: | 1 N [3.59 ozf] |
| Collar height: | 00 |
| Spring force at working stroke: | 3 N [10.7 ozf] |
| Recommended working stroke: | 4.4 mm [.173 in] |

Test Probe


GKS-003 204 254 A 3000

Item GKS-003-0038



ingun[®]

Partner for Future Technology



INGUN Prüfmittelbau GmbH

Max-Stromeyer-Straße 162
78467, Constance, Germany
Phone +49 7531 8105-0
Customer hotline +49 7531 8105-888
Fax +49 7531 8105-65
info@ingun.com



Prices and delivery times on request.
Technical changes reserved. 05/26_GB

Learn more about
ICT/FCT Test probes



ingun.com